



Legend & Tokyo Products are used by Siemens in Çanakkale WPP Project.



mrk international

Office :

N.S. Tower,
1/1 Sherebangla Road, Masdair,
Fatullah, Narayanganj-1400,
Bangladesh.

Email: mrkhan.eee@gmail.com

Cell: +880 1711068961

www.mrk.com.bd

Light in Detail

Price List 2020

detay
AYDINLATMA

+ 8 8 0 1 7 1 1 0 6 8 9 6 1

Road Lighting

4 - 8

- Legend
- Ayza
- Feris
- Hare
- Marte
- Bolsena
- Ronda
- Fratello
- Piccolo



Floodlights

9 - 18

- Tokyo
- Paris
- Roma
- Dakar
- Samar
- Berlin
- Leon
- Lazada
- Como
- Lizbon
- Torino
- Firenze



Facade Lighting

19

- Garda



Industrial Lighting

20 - 23

- Begna
- Alto
- Forte
- Zenna
- Volga
- Argento
- Alin
- Akra
- Almad
- Toscana



Canopy Gas Station Lighting

24


Quadro
Grandes



Indoor Lighting

25 - 29


Maride
Marde
Terra
Diritto
Enna
Picco
Sude
Cross
Orion
Enjoy
Joker
Lona



Decorative Park&Garden Lighting

30 - 37

Smart
Weser
Metrit
Via
Penta
Via Rengane
Lora
Bender
Toll
Piana
Darling
Messina
Totto
Rava
Raca
Luar
Lagoon
Nelson
Mekong
Arno
Ren
Otile
Pienza
Venezza
Marte Citte
Mila
Prada
Bega
Winner
Wont



Legend

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Angle Adjustable Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Dimensions	Weight	Box Pieces	Price (\$)
2000-001	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	679x292x68	5 kg	4	174
2000-002	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	679x292x68	5,5 kg	4	186
2000-003	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	679x292x68	5,7 kg	4	200
2000-004	125W	15000	3000-4000-6500K	80 CRI	0,95 cos	679x292x68	6 kg	4	214
2000-005	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	679x292x68	6,2 kg	4	226

Ayza

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø50 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-051	40W	5200	3000-4000-6500K	80 CRI	0,95 cos	372x212x67	3,5	6	94
2000-052	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	372x212x67	3,5	6	100

Feris

- Aluminium Injection Body
- Electrostatic powder paint
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Angle Adjustable Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-101	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	609x279x76	5 kg	4	174
2000-102	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	609x279x76	5 kg	4	180
2000-103	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	609x279x76	5 kg	4	200

Hare

- Aluminium Injection Body
- Electrostatic powder paint
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Angle Adjustable Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-151	180W	21600	3000-4000-6500K	80 CRI	0,95 cos	793x337x70	6,5 kg	3	312
2000-152	200W	24600	3000-4000-6500K	80 CRI	0,95 cos	793x337x70	6,5 kg	3	320
2000-153	240W	28800	3000-4000-6500K	80 CRI	0,95 cos	793x337x70	6,5 kg	3	334

Fratello

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-201	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	520x250x90	4,5 kg	3	180
2000-202	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	520x250x90	4,5 kg	3	186

Ronda

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-251	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	490x205x100	3,5kg	5	120
2000-252	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	490x205x100	3,5kg	5	134
2000-253	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	490x205x100	4 kg	5	145

Piccolo | Optical Lens

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- Ø42 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-301	40W	4800	3000-4000-6500K	80 CRI	0,95 cos	365x180x70	3 kg	10	67
2000-302	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	365x180x70	3 kg	10	73

Piccolo | Mid Power

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- Mid Power LED with life span 100.000hours
- Ø42 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-351	40W	4800	3000-4000-6500K	80 CRI	0,95 cos	365x180x70	3 kg	10	59
2000-352	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	365x180x70	3 kg	10	67

Marte


- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-401	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	5,5 kg	3	174
2000-402	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	6 kg	3	186
2000-403	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	6 kg	3	200

Marte Sidelight

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- Ø60 mm Console



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-404	80W	10000	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	5,5 kg	3	214
2000-405	95W	11800	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	6 kg	3	226
2000-406	120W	14800	3000-4000-6500K	80 CRI	0,95 cos	520xØ425x110	6 kg	3	240

Bolsena

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Asymmetric optical lens
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-451	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	Ø425x125	5,5 kg	3	180
2000-452	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	Ø425x125	5,5 kg	3	192
2000-453	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	Ø425x125	6,5 kg	3	206

Tokyo I

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- 10-30-60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-001	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	350x510x150	8 kg	3	312
1000-002	240W	28800	3000-4000-6500K	80 CRI	0,95 cos	350x510x150	8 kg	3	334
1000-003	320W	38400	3000-4000-6500K	80 CRI	0,95 cos	350x510x150	8 kg	3	374

Tokyo II

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- 10-30-60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-004	400W	48000	3000-4000-6500K	80 CRI	0,95 cos	700x510x150	16 kg	1	626
1000-005	480W	57600	3000-4000-6500K	80 CRI	0,95 cos	700x510x150	16 kg	1	666
1000-006	640W	76800	3000-4000-6500K	80 CRI	0,95 cos	700x510x150	16 kg	1	746

Tokyo III

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- 10-30-60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-007	720W	64000	3000-4000-6500K	80 CRI	0,95 cos	820x510x150	24 kg	1	1000
1000-008	960W	152000	3000-4000-6500K	80 CRI	0,95 cos	820x510x150	24 kg	1	1120

Tokyo IV

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- 10-30-60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-009	1280W	153600	3000-4000-6500K	80 CRI	0,95 cos	1000x510x150	32 kg	1	1494

Dakar

- Aluminium Injection Body
- Electrostatic powder paint
- Aluminium PCB
- Symmetrical Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-051	30W	3600	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	67
1000-052	40W	4800	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	73
1000-053	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	80

Dakar | ENEC Driver

- Aluminium Injection Body
- Electrostatic powder paint
- Symmetrical Optical Lens
- High Power LED with life span 100.000hours
- ENEC Certified Driver



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-054	30W	3600	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	80
1000-055	40W	4800	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	86
1000-056	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	230x350x90	3 kg	6	94

Samar

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Symmetrical Optical Lens
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-301	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	Ø282x320x100	4 kg	6	94
1000-302	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	Ø282x320x100	4 kg	6	112
1000-303	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	Ø282x320x100	4 kg	6	120

Roma | Mid Power

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-101	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	100
1000-102	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	112
1000-103	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	134

Roma | Optical Lens

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 10-30-60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-104	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	112
1000-105	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	126
1000-106	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	146

Roma | Optical Lens ENEC Driver

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver.
- 10-30-60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-107	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	134
1000-108	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	145
1000-109	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	340x360x60	5 kg	4	160

Paris | Mid Power

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hou



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-151	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	134
1000-152	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	145

Paris | Optical Lens

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 10-30-60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-153	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	140
1000-154	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	166

Paris | Optical Lens ENEC Driver

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- ENEC Certified IP67 Driver
- 10-30-60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-155	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	180
1000-156	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	380x420x60	6 kg	4	206

Berlin | Mid Power

- Aluminium Injection Body
- Electrostatic powder paint
- Aluminium PCB
- Plastic Injection Reflector
- Mid Power LED with life span 100.000hours
- Heat & Impact Resistant Extra Clear Tempered Glass



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-201	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	73
1000-202	60W	7000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	80
1000-203	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	86
1000-204	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	100

Berlin | Optical Lens

- Aluminium Injection Body
- Electrostatic powder paint
- Plastic Injection Reflector
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 10-30-60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-205	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	86
1000-206	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	94
1000-207	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	100
1000-208	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	126

Berlin | Optical Lens ENEC Driver

- Aluminium Injection Body
- Electrostatic powder paint
- Plastic Injection Reflector
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 10-30-60-90° Optical Lens
- ENEC Certified Driver



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-209	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	106
1000-210	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	112
1000-211	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	134
1000-212	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	267x410x72	4 kg	5	145

Leon | Mid Power

- Aluminum Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-251	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	94
1000-252	75W	9600	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	100
1000-253	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	106
1000-254	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	112

Leon | Optical Lens

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- High Power LED with life span 100.000hours
- 10-30-60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1500-255	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	100
1500-256	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	106
1500-257	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	120
1500-258	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	140

Leon | Optical Lens ENEC Driver

- Aluminium Injection Body
- Electrostatic powder paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 10-30-60-90° optical lens
- ENEC Certified Driver



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-259	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	112
1000-260	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	120
1000-261	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	134
1000-262	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	335x385x75	4 kg	5	152

Como I

- Aluminium Extrusion Body
- 60-90° Glass Lens
- COB LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-351	1*100W	11000	3000-4000-6500K	80 CRI	0,95 cos	290x420x150	5 kg	4	200
1000-352	1*130W	14400	3000-4000-6500K	80 CRI	0,95 cos	290x420x150	5 kg	4	214

Como II

- Aluminium Extrusion Body
- 60-90° Glass Lens
- COB LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-353	2*100W	22000	3000-4000-6500K	80 CRI	0,95 cos	420x600x150	10 kg	2	400
1000-354	2*130W	28800	3000-4000-6500K	80 CRI	0,95 cos	420x600x150	10 kg	2	426

Como III

- Aluminium Extrusion Body
- 60-90° Glass Lens
- COB LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-355	3*100W	33000	3000-4000-6500K	80 CRI	0,95 cos	850x290x150	12 kg	2	600
1000-356	3*130W	43200	3000-4000-6500K	80 CRI	0,95 cos	850x290x150	12 kg	2	640

Como IV

- Aluminium Extrusion Body
- 60-90° Glass Lens
- COB LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-357	4*100W	44000	3000-4000-6500K	80 CRI	0,95 cos	580x750x150	16 kg	1	800
1000-358	4*130W	57600	3000-4000-6500K	80 CRI	0,95 cos	580x750x150	16 kg	1	854

Lazada I

- Aluminium Extrusion Body
- PC Injection Cover
- Aluminium PCB
- 60-90° Optical Lens
- High Power LED with life span 100.000hours
- Adjustable Beam Angle



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-401	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	100x270x50	3,5 kg	1	120

Lazada II

- Aluminium Extrusion Body
- PC Injection Cover
- Aluminium PCB
- 60-90° Optical Lens
- High Power LED with life span 100.000hours
- Adjustable Beam Angle



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-402	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	200x270x50	7 kg	1	226

Lazada III

- Aluminium Extrusion Body
- PC Injection Cover
- Aluminium PCB
- 60-90° Optical Lens
- High Power LED with life span 100.000hours
- Adjustable Beam Angle



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-403	225W	27000	3000-4000-6500K	80 CRI	0,95 cos	300x270x50	12 kg	1	346

Lazada IV

- Aluminium Extrusion Body
- PC Injection Cover
- Aluminium PCB
- 60-90° Optical Lens
- High Power LED with life span 100.000hours
- Adjustable Beam Angle



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-404	300W	36000	3000-4000-6500K	80 CRI	0,95 cos	400x270x50	15 kg	1	454

Lizbon

- Aluminium Extrusion Body
- Aluminium PCB
- Heat & Impact Resistant Extra Clear Tempered Glass
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-451	30W	3300	3000-4000-6500K	80 CRI	0,95 cos	340x365x70	2 kg	15	30
1000-452	40W	4200	3000-4000-6500K	80 CRI	0,95 cos	340x365x70	2 kg	15	33

Torino

- Aluminium Extrusion Body
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-453	100W	11000	3000-4000-6500K	80 CRI	0,95 cos	470x340x50	5 kg	4	100

Firenze | Mid Power

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-454	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	580x310x80	6 kg	4	120
1000-455	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	580x310x80	6 kg	4	134

Firenze | Optical Lens

- Aluminium Extrusion Body
- PC Injection Cover
- Aluminium PCB
- 60-90° Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-456	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	580x310x80	6 kg	4	140
1000-457	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	580x310x80	6 kg	4	206

Garda I

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- 10-60° Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-501	10W	1000	3000-4000-6500K	80 CRI	0,95 cos	190x55x90	1 kg	10	40
1000-502	10W	800	Amber	80 CRI	0,95 cos	190x55x90	1 kg	10	46
1000-503	10W	800	Red - Blue - Green	80 CRI	0,95 cos	190x55x90	1 kg	10	46

Garda II

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- 10-60° Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-504	20W	2000	3000-4000-6500K	80 CRI	0,95 cos	340x55x90	1 kg	6	67
1000-505	20W	1600	Amber	80 CRI	0,95 cos	340x55x90	1 kg	6	80
1000-506	20W	1600	Red - Blue - Green	80 CRI	0,95 cos	340x55x90	1 kg	6	80

Garda III

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- 10-60° Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-507	40W	4000	3000-4000-6500K	80 CRI	0,95 cos	660x55x90	3,5 kg	6	134
1000-508	40W	3200	Amber	80 CRI	0,95 cos	660x55x90	3,5 kg	6	145
1000-509	40W	3200	Red - Blue - Green	80 CRI	0,95 cos	660x55x90	3,5 kg	6	145

Garda IV

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- 10-60° Optical Lens
- High Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
1000-510	60W	6000	3000-4000-6500K	80 CRI	0,95 cos	1000x55x90	5 kg	6	174
1000-511	60W	4800	Amber	80 CRI	0,95 cos	1000x55x90	5 kg	6	200
1000-512	60W	4800	Red - Blue - Green	80 CRI	0,95 cos	1000x55x90	5 kg	6	200

Begna

- Aluminium Extrusion Body
- PC Opal Extruded Diffuser
- Mid Power LED with life span 100.000hours
- ENEC Certified Driver
- Options
 - Emergency Lighting Kit 1-3 Hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-001	18W	2160	3000-6500K	80 CRI	0,95 cos	600x72x52	3 kg	8	36
8000-002	35W	4200	3000-6500K	80 CRI	0,95 cos	1160x72x52	3 kg	8	43
8000-003	50W	6000	3000-6500K	80 CRI	0,95 cos	1500x72x52	3 kg	8	53
8000-004	75W	9750	3000-6500K	80 CRI	0,95 cos	1500x72x52	3 kg	8	67

Alto

- PC Injection Body
- PC Opal Cover
- Mid Power LED with life span 100.000hours
- ENEC Certified Driver
- Options
 - Emergency Lighting Kit 1-3 Hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-051	18W	2160	3000-6500K	80 CRI	0,95 cos	580x70x80	3 kg	8	27
8000-052	35W	4200	3000-6500K	80 CRI	0,95 cos	1160x70x80	3 kg	8	40

Forte

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Mid Power LED with life span 100.000hours Aluminum
- Aluminium Reflector
- ENEC Certified Driver

- Options
- Emergency Lighting Kit 1-3 Hours
- Dimmable Driver
- DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-101	50W	5600	3000-4000-6500K	80 CRI	0,95 cos	600x120x110	3 kg	6	80
8000-102	65W	8400	3000-4000-6500K	80 CRI	0,95 cos	600x120x110	3 kg	6	94
8000-103	75W	10500	3000-4000-6500K	80 CRI	0,95 cos	900x120x110	4 kg	6	100
8000-104	110W	15400	3000-4000-6500K	80 CRI	0,95 cos	1200x120x110	5 kg	6	120
8000-105	150W	21000	3000-4000-6500K	80 CRI	0,95 cos	1500x120x110	6 kg	6	174

Zenna

- Aluminium Extrusion Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Mid Power LED with life span 100.000hours
- ENEC Certified Driver

- Options
- Emergency Lighting Kit 1-3 Hours
- Dimmable Driver
- DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-201	50W	5600	3000-4000-6500K	80 CRI	0,95 cos	600x135x60	3 kg	6	86
8000-202	65W	8400	3000-4000-6500K	80 CRI	0,95 cos	600x135x60	3 kg	6	100
8000-203	75W	10500	3000-4000-6500K	80 CRI	0,95 cos	900x135x60	4 kg	6	112
8000-204	110W	15400	3000-4000-6500K	80 CRI	0,95 cos	1200x135x60	5 kg	6	120
8000-205	150W	21000	3000-4000-6500K	80 CRI	0,95 cos	1500x135x60	6 kg	6	180

Volga

- Aluminium Extrusion Body
- Mid Power LED with life span 100.000hours
- 60° Optical Lens
- ENEC Certified Driver

- Options
- Emergency Lighting Kit 1-3 Hours
- Dimmable Driver
- DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-151	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	1108x70x90	4,5 kg	6	126
8000-152	110W	14300	3000-4000-6500K	80 CRI	0,95 cos	1108x70x90	4,5 kg	6	134
8000-153	150W	19500	3000-4000-6500K	80 CRI	0,95 cos	1108x70x90	4,5 kg	6	186

Argento | Mid Power

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-301	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	94
8000-302	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	100
8000-303	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	106
8000-304	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	126

Argento | Optical Lens

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-305	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	100
8000-306	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	106
8000-307	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	120
8000-308	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	335x335x150	6 kg	4	140

Alin | Optical Lens

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-351	150W	18000	3000-4000-6500K	80 CRI	0,95 cos	550x225x170	6 kg	3	266
8000-352	200W	24000	3000-4000-6500K	80 CRI	0,95 cos	550x225x170	6 kg	3	306
8000-353	240W	48000	3000-4000-6500K	80 CRI	0,95 cos	550x225x170	6 kg	3	334

Akra

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
2000-401	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	425x125	4 kg	6	94
2000-402	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	425x125	4 kg	6	112
2000-403	100W	1200	3000-4000-6500K	80 CRI	0,95 cos	425x125	4 kg	6	120

Almad

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- High Power LED with life span 100.000hours
- 60-90° optical lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-451	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	4	160
8000-452	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	4	174
8000-453	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	4	186
8000-454	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	4	200

Toscana

- Aluminium Extrusion Body
- Aluminium Anodized Plastering Reflector
- COB LED with life span 100.000hours
- 60-90-120° Special Glass Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-501	45W	5400	3000-4000-6500K	80 CRI	0,95 cos	325x270	2,5 kg	4	145
8000-502	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	325x270	2,5 kg	4	160
8000-503	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	515x450	4 kg	4	186
8000-504	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	515x450	4 kg	4	200
8000-505	130W	15600	3000-4000-6500K	80 CRI	0,95 cos	515x450	4 kg	4	214

Quadro | Mid Power

- Aluminium Injection Body
- Electrostatic Powder Paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-551	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	126
8000-552	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	134
8000-553	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	145
8000-554	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	160

Quadro | Optical Lens


- Aluminium Injection Body
- Electrostatic Powder Paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- High Power LED with life span 100.000hours
- 60-90° Optical Lens



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-555	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	140
8000-556	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	145
8000-557	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	160
8000-558	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	425x425x150	6 kg	4	174

Grandes

- Electrostatic Powder Paint
- Heat & Impact Resistant Extra Clear Tempered Glass
- Aluminium PCB
- Mid Power LED with life span 100.000hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
8000-559	60W	7200	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	3	150
8000-560	75W	9000	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	3	160
8000-561	100W	12000	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	3	174
8000-562	120W	14400	3000-4000-6500K	80 CRI	0,95 cos	425x125	6 kg	3	186

Maride | Rock Wool

- Electrostatic Powder Coated Metal Body
- Opal Diffuser
- Mid Power LED with life span 100.000 hours
- Driver with life span 100.000 hours



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-001	15W	1650	3000-4000-6500K	80 CRI	0,95 cos	300x300x55	1,5 kg	6	27
7000-002	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	600x600x55	3,5 kg	6	33
7000-003	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	300x1200x55	4 kg	6	43

Maride | Drywall

- Electrostatic Powder Coated Metal Body
 - Opal Diffuser
 - Mid Power LED with life span 100.000 hours
 - Driver with life span 100.000 hours
- Options
Emergency Lighting Battery 1-3 hours
Dimmable Driver
DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-004	15W	1650	3000-4000-6500K	80 CRI	0,95 cos	300x300x55	1,5 kg	6	29
7000-005	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	600x600x55	3,5 kg	6	35
7000-006	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	300x1200x55	4 kg	6	45

Maride | Clip-in

- Electrostatic Powder Coated Metal Body
 - Opal Diffuser
 - Mid Power LED with life span 100.000 hours
 - Driver with life span 100.000 hours
- Options
Emergency Lighting Battery 1-3 hours
Dimmable Driver
DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-007	15W	1650	3000-4000-6500K	80 CRI	0,95 cos	300x300x55	1,5 kg	6	29
7000-008	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	600x600x55	3,5 kg	6	35
7000-009	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	300x1200x55	4 kg	6	45

Marde

- Electrostatic Powder Coated Metal Body
 - Opal Diffuser
 - Mid Power LED with life span 100.000 hours
 - Driver with life span 100.000 hours
- Options
Emergency Lighting Battery 1-3 hours
Dimmable Driver
DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-010	15W	1650	3000-4000-6500K	80 CRI	0,95 cos	300x300x55	1,5 kg	6	35
7000-011	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	600x600x55	3,5 kg	6	43
7000-012	35W	3750	3000-4000-6500K	80 CRI	0,95 cos	300x1200x55	4 kg	6	45

Terra 3'- 4'

- Aluminium Injection Body
- Electrostatic Powder Coated
- PC Opal Diffuser
- Aluminium PCB
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- 120° Beam Angle
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Hole to Drill	Weight	Box Pieces	Price (\$)
7000-051	8W	800	3000-4000-6500K	80 CRI	0,95 cos	Ø87xØ72x75	Ø72	0,3 kg	6	19
7000-052	12W	1200	3000-4000-6500K	80 CRI	0,95 cos	Ø114xØ98x75	Ø98	0,6 kg	6	21

Terra 5'- 6'

- Aluminium Injection Body
- Electrostatic Powder Coated
- PC Opal Diffuser
- Aluminium PCB
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- 120° Beam Angle
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Hole to Drill	Weight	Box Pieces	Price (\$)
7000-053	15W	1500	3000-4000-6500K	80 CRI	0,95 cos	Ø139xØ119x75	Ø119	0,8 kg	6	25
7000-054	20W	2000	3000-4000-6500K	80 CRI	0,95 cos	Ø169xØ148x75	Ø148	1 kg	6	29

Terra 8'

- Aluminium Injection Body
- Electrostatic Powder Coated
- PC Opal Diffuser
- Aluminium PCB
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- 120° Beam Angle
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Hole to Drill	Weight	Box Pieces	Price (\$)
7000-055	30W	3000	3000-4000-6500K	80 CRI	0,95 cos	Ø218xØ197x75	Ø197	1,3 kg	6	40

Diritto

- Aluminium Extrusion Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- Customised production in desired colors and dimensions
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-101	18W	1850	3000-4000-6500K	80 CRI	0,95 cos	560x70x50	1,5 kg	6	34
7000-102	35W	3650	3000-4000-6500K	80 CRI	0,95 cos	1120x70x50	2,5 kg	6	53
7000-103	50W	5150	3000-4000-6500K	80 CRI	0,95 cos	1500x70x50	3,5 kg	6	67

Enna

- Aluminium Extrusion Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- Customised production in desired colors and dimensions
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-201	18W	1850	3000-4000-6500K	80 CRI	0,95 cos	560x70x50	1,5 kg	6	34
7000-202	35W	3650	3000-4000-6500K	80 CRI	0,95 cos	1120x70x50	2,5 kg	6	53
7000-203	50W	5150	3000-4000-6500K	80 CRI	0,95 cos	1500x70x50	3,5 kg	6	67

Picco

- Aluminium Extrusion Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- Customised production in desired colors and dimensions
- Options
 - Emergency Lighting Battery 1-3 hours
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-151	18W	1850	3000-4000-6500K	80 CRI	0,95 cos	560x70x50	1,5 kg	6	26
7000-152	35W	3650	3000-4000-6500K	80 CRI	0,95 cos	1120x70x50	2,5 kg	6	40
7000-153	50W	5150	3000-4000-6500K	80 CRI	0,95 cos	1500x70x50	3,5 kg	6	48

Sude


- Aluminium Injection Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- Driver with ENEC Certificate
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-251	18W	800	3000-4000-6500K	80 CRI	0,95 cos	560x80x80	3 kg	6	53
7000-252	35W	1200	3000-4000-6500K	80 CRI	0,95 cos	1120x80x80	4 kg	6	94
7000-253	50W	1500	3000-4000-6500K	80 CRI	0,95 cos	1500x80x80	6 kg	6	134

Cross

- Aluminium Injection Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-401	40W	3200	3000-4000-6500K	80 CRI	0,95 cos	400x70x100	3 kg	6	120
7000-402	75W	6000	3000-4000-6500K	80 CRI	0,95 cos	600x70x100	4 kg	6	180
7000-403	100W	8000	3000-4000-6500K	80 CRI	0,95 cos	900x70x100	6 kg	6	266

Orion

- Aluminium Injection Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-451	40W	3200	3000-4000-6500K	80 CRI	0,95 cos	400x70	3 kg	6	94
7000-452	60W	6000	3000-4000-6500K	80 CRI	0,95 cos	600x70	4 kg	6	134
7000-453	75W	8000	3000-4000-6500K	80 CRI	0,95 cos	900x70	6 kg	6	200

Enjoy

- Aluminum Injection Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-301	45W	3600	3000-4000-6500K	80 CRI	0,95 cos	Ø600x70	3 kg	6	160
7000-302	65W	5200	3000-4000-6500K	80 CRI	0,95 cos	Ø900x70	4 kg	6	254
7000-303	100W	8000	3000-4000-6500K	80 CRI	0,95 cos	Ø1200x70	6 kg	6	334

Joker

- Aluminium Injection Body
- PC Opal Diffuser
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-351	40W	3400	3000-4000-6500K	80 CRI	0,95 cos	Ø400x70	3 kg	6	126
7000-352	60W	5100	3000-4000-6500K	80 CRI	0,95 cos	Ø600x70	4 kg	6	174
7000-353	70W	5950	3000-4000-6500K	80 CRI	0,95 cos	Ø900x70	6 kg	6	266

Lona

- Aluminium Injection Body
- Heat & Impact Resistant Extra Clear Tempered Glass
- Mid Power LED with life span 100.000 hours
- ENEC Certified Driver
- Options
 - Dimmable Driver
 - DALI Control System



Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
7000-501	30W	2650	3000-4000-6500K	80 CRI	0,95 cos	Ø425x80	3 kg	6	100
7000-502	40W	3550	3000-4000-6500K	80 CRI	0,95 cos	Ø425x80	4 kg	6	112
7000-503	60W	4950	3000-4000-6500K	80 CRI	0,95 cos	Ø425x80	6 kg	6	120



Smart I | 9000-220



Smart II | 9000-230



Weser I | 9000-260

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-220	30W	6750	3000-4000-6500K	80 CRI	0,95 cos	400x4000	18 kg	1	334
9000-230	2*30W	6750	3000-4000-6500K	80 CRI	0,95 cos	400x4000	18 kg	1	400
9000-260	30W	6000	3000-4000-6500K	80 CRI	0,95 cos	400x3500	20 kg	1	366



Metrit I | 9000-280



Metrit II | 9000-290



Weser II | 9000-270

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-280	30W	6000	3000-4000-6500K	80 CRI	0,95 cos	400x3500	20 kg	1	334
9000-290	2*50W	12000	3000-4000-6500K	80 CRI	0,95 cos	800x3500	25 kg	1	400
9000-270	2*50W	12000	3000-4000-6500K	80 CRI	0,95 cos	800x3500	25 kg	1	466



Via | 9000-001



Penta | 9000-010



Via Rengane | 9000-020

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-001	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	266
9000-010	80W	7500	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	306
9000-020	100W	9000	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	334



Lora | 9000-030



Bender | 9000-100



Toll | 9000-310

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-030	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	334
9000-100	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø600x3500	20 kg	1	334
9000-310	30W	3600	3000-4000-6500K	80 CRI	0,95 cos	Ø150x1000	20 kg	1	534



Piana | 9000-090



Darling I | 9000-060



Darling II | 9000-061

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-090	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø425x3200	20 kg	1	266
9000-060	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	334
9000-061	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	534



Messina I | 9000-040



Messina II | 9000-050



Totto | 9000-300

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-040	120W	10000	3000-4000-6500K	80 CRI	0,95 cos	Ø560x4000	25 kg	1	534
9000-050	180W	16000	3000-4000-6500K	80 CRI	0,95 cos	Ø560x5000	30 kg	1	734
9000-300	2*30W	6750	3000-4000-6500K	80 CRI	0,95 cos	600 3200	20 kg	1	600



Rava I | 9000-240



Rava II | 9000-250



Raca | 9000-210

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-240	50W	6000	3000-4000-6500K	80 CRI	0,95 cos	600x3500	20 kg	1	266
9000-250	2*50W	12000	3000-4000-6500K	80 CRI	0,95 cos	1200x3500	25 kg	1	266
9000-210	2*30W	6750	3000-4000-6500K	80 CRI	0,95 cos	400x4000	18 kg	1	600



Luar I | 9000-350



Luar II | 9000-360



Lagoon | 9000-370

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-350	50W	7000	3000-4000-6500K	80 CRI	0,95 cos	600x3500	20 kg	1	266
9000-360	2*50W	1400	3000-4000-6500K	80 CRI	0,95 cos	1200x3500	25 kg	1	370
9000-370	60W	8400	3000-4000-6500K	80 CRI	0,95 cos	600x4000	25 kg	1	400



Nelson | 9000-160



Mekong | 9000-170



Otile | 9000-200

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-160	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	500x3500	20 kg	1	466
9000-170	2*60W	13500	3000-4000-6500K	80 CRI	0,95 cos	1200x3500	25 kg	1	666
9000-200	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	400x3500	18 kg	1	400



Arno I | 9000-140



Arno II | 9000-150



Ren | 9000-460

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-140	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	500x3500	20 kg	1	400
9000-150	2*60W	13500	3000-4000-6500K	80 CRI	0,95 cos	1200x3500	25 kg	1	600
9000-460	50W	7000	3000-4000-6500K	80 CRI	0,95 cos	600x3500	25 kg	1	334



Piensa | 9000-070



Venezza | 9000-080



Marte Citte | 9000-180

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-070	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø425x3500	20 kg	1	366
9000-080	80W	7500	3000-4000-6500K	80 CRI	0,95 cos	Ø425x3200	20 kg	1	400
9000-180	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	500 3500	20 kg	1	400



Mila I | 9000-120



Mila II | 9000-130



Prada | 9000-190

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-120	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	500x3500	20 kg	1	334
9000-130	2*60W	13500	3000-4000-6500K	80 CRI	0,95 cos	1200x3500	25 kg	1	500
9000-190	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	500x3500	20 kg	1	400



Via | 9000-001



Penta | 9000-010

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-001	60W	6750	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	186
9000-010	80W	7500	3000-4000-6500K	80 CRI	0,95 cos	Ø560x3200	20 kg	1	214



Pienza | 9000-670

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-670	60W	8400	3000-4000-6500K	80 CRI	0,95 cos	560x200	8 kg	1	226



Lora | 9000-680



Bender | 9000-690

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-680	60W	8400	3000-4000-6500K	80 CRI	0,95 cos	500x560	8 kg	1	240
9000-690	60W	8400	3000-4000-6500K	80 CRI	0,95 cos	150x425	8 kg	1	240



Bega | 9000-350



Winner | 9000-340

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-350	15W	1050	3000-4000-6500K	80 CRI	0,95 cos	150x400	2 kg	4	106
9000-340	15W	1050	3000-4000-6500K	80 CRI	0,95 cos	150x1000	3 kg	1	134



Wont I | 9000-320



Wont II | 9000-330

Product Code	Power	Lumens	Light Color	Colour Rendering	Power Factor	Sizes (mm)	Weight	Box Pieces	Price (\$)
9000-320	15W	1050	3000-4000-6500K	80 CRI	0,95 cos	150x800	6 kg	1	106
9000-330	2*15W	3600	3000-4000-6500K	80 CRI	0,95 cos	300x800	7 kg	1	134

Bangladesh Agent:



mrk international

Office :

N.S. Tower,
1/1 Sherebangla Road, Masdair,
Fatullah, Narayanganj-1400,
Bangladesh.

Email: mrkhan.eee @ gmail.com

Cell: +880 1711068961

www.mrk.com.bd

+ 8 8 0 1 7 1 1 0 6 8 9 6 1

